



THE
CHORDTM
COMPANY

www.chord.co.uk



Sú káble skutočne rozdielne?

25 rokov vývoja, experimentovania a návrhov reproduktorových a prepojovacích káblov hovorí áno – fakticky veríme, že Chord káble môžu zmeniť úplne všetko.

Dobrý kábel môže hudbe umožniť znieť presne tak, ako bola skomponovaná. Dobré káble môžu zmeniť pozeranie obľúbeného filmu či počúvanie obľúbenej pesničky v neskutočný emočný zážitok.

Niektoří hovoria, že podstata zážitku je v detailoch, ale my vieme, že všetky detaily sveta nestoja za nič pokiaľ nie sú súčasťou dokonale vyrovnaného hudobného alebo filmového celku. Skutočná mágia je v celkovej interpretácii diela a dobré káble sú neoddeliteľnou súčasťou procesu jej doručenia poslucháčovi a divákovi.

Užite si svoju hudbu, filmy a hry v novom svetle. Skutočný zážitok je možno len kábel vzdialenosť.

Contents

- 02 Sú káble skutočne rozdielne**
- 07 Káble na mieru**
- 08 Sarum séria**
- 10 Analógové prepojovacie káble**
- 16 Din káble**
- 17 Cable Doctor lieči káble**
- 19 Repro káble**
- 22 HDMI & home cinema káble**
- 26 Digitálne prepojovacie káble**
- 28 Napájacie káble**
- 30 Terminológia & tipy**
- 31 Technické informácie**

Výrobky Chord Company sú navrhnuté, ručne vyrobené a testované v našom zariadení v Amesbury, Wiltshire UK



“Akýkoľvek systém, bez ohľadu na cenu, bude znieť lepšie prepojený správnymi prepojovacími a reproduktorovými káblami.”



Väčšina systémov nenapĺňa skutočný potenciál

Káble sú aspoň tak dôležité ako všetky ostatné komponenty z ktorých pozostáva HiFi systém alebo domáce kino. Ak ich podceníme, tak riskujeme degradáciu výkonu všetkých ostatných súčasti. Čo je ešte dôležitejšie zhoršujeme tým kvalitu každej pesničky a každého filmu ktorý prehrávame. Chord Káble Vám pomôžu užiť si každý kúsok.

"A deep understanding of the critical areas of a musical performance has helped us to develop cables that will let you hear your favourite music at its very best."

Chord Company mala vždy veľmi blízko k samotným hudobníkom. To nám umožnilo počúvať niektoré skutočne jedinečné nástroje a vynimočných hudobníkov a zároveň nám umožnilo porozumieť čo hudobníci chcú svojim výkonom povedať. Skutočným odhalením bolo, keď sme zistili aký veľký vplyv majú káble na realistické prehrávanie ich nahrávok.

"The timbre of a 200 year old violin is dizzyingly complex and dazzlingly beautiful. Making cables that can accurately carry this signal is an exciting challenge."

Káble sú kritickou časťou systému - prenášajú vzácné informácie od jedného komponentu k druhému. Informácie, ktoré prenášajú hudobný výkon sa strácajú, ovplyvňujú a mechanicky indukujú šum. Správny kábel prenesie viac s menšími stratami a interferenciami a pozorne vyrobený kábel pomôže znížiť mechanický šum. Detaily a dynamika zostanú nezmenené, komplexné tonálne atribúty nástrojov sú jednoduchšie rozoznať, rytmus a melodická štruktúra je zrozumiteľnejšia. A hlavne hudba znie živšie a účastnejšie.

Získaj viac zo svojej hudby

Prepojovacie a reproduktorové káble (ako pre hi-fi tak aj domáce kino) by mali byť nahrnuté so zreteľom najmä na čo najmenšie straty signálu medzi jednotlivými komponentami a čo najmenšie interferencie. Jednoduchý cieľ, ale nás prinútil upraviť a v niektorých prípadoch kompletné úplne prevrátiť klasický prístup k vývoju kálov. Všetky Chord prepojovacie káble využívajú naše poznatky získané pri vývoji referenčných kálov. Vylepšenia v tienení vyvinuté pri vývoji Sarum série boli aplikované aj v ostatných sériách. Bez ohľadu na typ Chord kábla, ktorý si vyberiete si môžete byť istý, že vždy dostanete to najlepšie z danej triedy.

Oceňovaný Chord CrimsonPlus hrá fantasticky. Ďalšie káble v Chord výrobnom programe sú osadené lepšími vodočními, lepším dielektrikom a koncovkami či komplexným a mimoriadne efektívnym tienením. Tieto vylepšenia jednotlivých súčasti nám umožňujú vyrábať káble ktoré sú schopné preniesť viac detailov či viac prostoru. Vylepšené tienenie dramaticky redukuje šum a odhaľuje aj najmenšie dynamické zmeny. Low mass plug koncovky s akrylovým obalom pomáhajú odstrániť nechcené rezonancie a vylepšiť prenos detailov.

"The best music is mesmerising, captivating and enthralling, every piece of music you play should be a performance"

Existuje veľmi jednoduchý spôsob na zistenie ako veľmi Chord káble vylepšia Váš pôžitok z hudby - počúvanie.

Väčšina Chord predajcov má k dispozícii ucelenú sadu Chord kálov. Popri dobrých radách sú zároveň schopní zapožičať Vám ich domov. Experimentujte, nie je žiadne pravidlo koľko minút na káble v porovnaní s cenou komponentov. Naša filozofia je jednoduchá: za viac peňazí, viac muziky. Viac detailov, lepší priestor, lepšie vnímanie a hlbšie zapojenie. Viac z Vašej hudby.



Chord káble na mieru

Špecializujeme sa na výrobu špičkových kálov na mieru pre zákazníka.

Väčšina našich kálov je možné vyrobiť v zákazníkom zadanej dĺžke.

Rovnako vieme dodať aj rôzne zakončenia týchto kálov, takže aj veľmi neštandardné

spojenia komponentov vieme vybaviť prepojením od Chord Company.

Káble na mieru môžu byť objednané ceza ktoréhokoľvek predajcu. Ak si nie ste istý, čo presne potrebujete, kontaktujte dovozcu na: sales@hifi4ce.eu





Sarum

a musical
revelation



Strávili sme 20 rokov vývojom, testovaním, návrhom a vývojom prepojovacích a reproduktorových káblov. Rozumieme kritickým prvkom vývoja káblov, ktoré môžu prenášať signál bez strát a interferencií a vieme ako vyrobiť káble, ktoré budú fungovať v synergii na dosiahnutie najlepšieho výsledku systému ku ktorému sú pripojené.

Roky skúseností priniesli hudobne výnimočnú zostavu produktov. Sarum reproduktorové, prepojovacie a napájacie káble sú koncipované, navrhnuté a vyrobené aby priniesli výnimočné výsledky.

Sarum káble nielenže odhalia skutočné možnosti Vásich hi-fi komponentov. Vnesú Vás ďalej a hlbšie do hudobného zážitku a ukážu Vám skutočné schopnosti Vášho oblúbeného hudobníka či speváka.

Aby sme dosiahli takúto výnimočnosť museli sme v Sarum káblach predefinovať takmer každý element a techniku, ktorá sa doteraz používala. Od samotných vodičov každý prvok a materiál použitý v Sarum káblach bol optimalizovaný pre čo najlepší výkon.

THE
CHORD
COMPANY™



Most CD players are
capable of great things

They just need a great cable!

Welcome to the Chord analogue interconnect range, a line-up of cables designed to ensure that any hi-fi or home cinema system performs at its best. All of our interconnects are designed, assembled and tested in our UK facility. Regardless of the cable type you choose you can be certain that the same attention to detail goes into the design, construction and testing of all our cables.

If there was ever a hard and fast rule about how much you should spend on cables, then CD players and digital to analogue converters present a real challenge to it.

Most modern CD players are capable of sounding extremely good; the limiting factor is often the cable not the system. Well designed cables with really effective shields don't just work well with high-end equipment, they can often make "real-world" systems sound dramatically better. High performance cables are a simple way of rediscovering your music collection.

Talk to your local Chord Company dealer and take a listen.



Chord Sarum

Precision polished, heavily silver-plated, multi-strand signal conductors
High density heavy gauge foil dual shielding system
Internal foamed Teflon® dielectric
Ultra-lightweight contact acrylic damped RCA plugs
Available in RCA, XLR and Din configuration

Use it with:

Chord Sarum and Signature speaker cables, Chord Sarum and Power Chord mains cables

"Instruments and voices sound so real; music is genuinely enthralling and extraordinarily transparent. Image is utterly solid and believable. A revelation"





Chord Indigo Plus

Silver-plated, multi-strand signal conductors
Single signal, dual return path configuration
Teflon® insulation
Triple layer shielding system
Lightweight acrylic damped, silver-plated RCA plugs
Available in RCA and XLR configurations

Use it with:
Chord Sarum, Signature and Epic speaker cables, Chord Power Chord and Sarum mains cables

"New levels of openness and clarity. Fantastic bass definition. The subtlest of dynamics are easy to hear. Musically revealing, instruments natural timbre is fully revealed. Amazing detail levels"



Chord Signature Plus

Silver-plated, solid core signal and return conductors
Single signal, dual return path configuration
Sarum-style high frequency shielding system
Teflon® Insulation
Lightweight acrylic damped, silver-plated RCA plugs
Available in RCA configuration

Use it with:
Chord Signature, Epic and Odyssey speaker cables, Chord Power Chord mains cables

"The soundstage is enormous and instruments sound incredibly natural. Detail is presented with real clarity and coherence"



Chord Signet

Silver-plated, solid core signal conductors
Matched signal/return conductors
Teflon® insulation
Dual layer high frequency shielding system
Low mass silver-plated RCA plugs
Upgradeable to Signature Plus specification

Use it with:
Chord Signature, Epic and Odyssey speaker cables, Chord Power Chord mains cables

"Very detailed and dynamic sound, great coherence and excellent imaging. Very natural sounding, instruments and voice have natural timbre "



Chord Anthem 2



Silver-plated, oxygen-free copper, multi-strand signal/return conductors
Triple layer shielding system
Teflon® insulation
Low mass, silver-plated RCA plugs
Available in RCA, Din and XLR configurations

Use it with:

Chord Signature, Epic and Odyssey speaker cables, Chord Power Chord mains cables

"Revealing and musical sound great definition and soundstage, excellent bass extension, brilliant with floor-standing loudspeakers"



Chord Cadenza

Silver-plated conductors
Teflon® insulation
Interference reducing twisted pair configuration
Dual layer high frequency effective shielding
High quality silver-plated terminations
Vibration damping conductor surround
Fitted with new Chord VEE Plugs
Also available in XLR configurations

Use it with:

Chord Epic, Odyssey and Rumour speaker cables,
Chord Power Chord and SuperScreen mains cables

"Really versatile, great levels of detail and real exuberance, brings a system to life "



"Sweet, musical and detailed"

Chord CobraPlus

Multi strand, oxygen-free copper signal/return conductors
Twisted pair configuration
Low density polyethylene dielectric
Fitted with new Chord VEE Plugs
Available in RCA, Din and XLR configurations

Use it with:

Chord Rumour, Carnival SilverScreen, Carnival Classic and Leyline speaker cables,
Chord SuperScreen mains cables



"Great tonal and dynamic accuracy, outstanding value for money "

Chord CrimsonPlus

Multi-strand, oxygen free copper, signal/return conductors
Combination braid and foil shielding
Polyethylene insulation
Fitted with new Chord VEE Plugs
Available in RCA, Din and XLR configurations

Use it with:

Chord Carnival SilverScreen, Carnival Classic and Leyline speaker cables, Chord SuperScreen mains cables

Chord Chorus 2

Silver-plated, oxygen-free copper, signal/return conductors
Dual layer, high frequency shielding system
Teflon® insulation
Fitted with new Chord VEE Plugs
Available in RCA and XLR configurations

Use it with:

Chord Signature, Epic and Odyssey speaker cables, Chord Power Chord and SuperScreen mains cables

"So much more detail and very musical. Fantastic bass definition, music snaps into focus "



Chord ChameleonPlus

Multi strand, silver-plated conductors
Single signal, dual return path configuration
Teflon® insulation
New high-density dual shielding
Fitted with new Chord VEE Plugs
Available in RCA and XLR configurations

Use it with:

Chord Odyssey, Rumour and Carnival SilverScreen speaker cables, Chord SuperScreen mains cables

"The improvements to levels of detail and dynamic and tonal transmission are very obvious. Allows you to pick out and follow individual instruments without ever losing track of the music "



Chord iChord

Specially developed for MP3 players
Multi-strand oxygen free copper conductors
Low density polyethylene conductor insulation
High coverage, high flexibility shielding
Fitted with new Chord VEE Plugs/stereo minijack



Introducing the Chord VEE plug

The Chord VEE plug uses a unique ABS enclosure to surround a low mass gold or silver-plated centre pin and signal return. A special non-compression cable clamp is also employed. The VEE plug has a profound effect on the performance of all the cables it is fitted to. Detail and definition are enhanced and pace, rhythm and timing improved.



Chord Din connections

The Chord Company has been producing high performance interconnect cables terminated with Din plugs for over twenty years. CrimsonPlus, CobraPlus, Anthem 2 and the company's flagship cable, Sarum are all available fitted with Din plugs. We have a large database of pin configurations and can supply Din terminated cables for Naim, Quad and almost any other audio component that needs Din connections.

Whatever the quality of equipment you wish to connect, We can supply a high performance cable. We offer a full custom service and can configure Din terminations for use with almost any component fitted with Din sockets.

Chord Anthem 2 and Sarum Din cables are fitted with a modified Din plug. By removing the unconnected pins it is possible to significantly improve performance. When connecting the cable with a modified Din plug, be careful to align the plug correctly with the socket.

If you need further advice or information on Chord Din connections, please contact us at www.chord.co.uk or telephone +44(0) 1980 625700.




Enjoy yourself


In an increasingly busy world; music, films and games remain an oasis of escapism, an enthralling and emotional moment of passion, an amazing, breathtaking and captivating pleasure. Get as much from your music, films and games as we do.

Find out more

Visit www.chord.co.uk for in-depth information on all products. Find out what equipment we're using in our demo room and what music, films and games we're enjoying. Find your local retailer and arrange a demonstration or contact your distributor wherever you are in the world.



Nigel Finn
Technical Director
Product Designer



Get involved

Register for our e-newsletter. Get the latest news and the chance to win Chord products in our regular competitions.

We hope this brochure helps you choose the right cables for your system. If you would like more advice about Chord Company cables, visit the "Cable Doctor" section at www.chord.co.uk and enter your system details and questions. We will reply as promptly as possible.



What

is the first thing you do
when you get home
after a hard day ?

Compromise is not always the best solution

**Poor quality speaker cable is
responsible for a lot of systems
not performing at anywhere
near their true potential**

About 70% of the e-mails we receive from people who are unhappy with the sound of their system describe problems that are caused by inferior speaker cable. It is very easy to overlook speaker cable, especially when you've just paid out for your dream system.

The right speaker cable will not only show you what your system is capable of, it will help to make your music tuneful, powerful and involving. Talk to your Chord retailer, they will often have demonstration sets of speaker cable that you can listen to in your own system. It could be one of the best upgrades you make.

Music is played with passion. Give your system a chance to really perform.

Chord Sarum speaker cable



Heavy gauge silver-plated precision finished stranded conductors

Air-spaced Teflon® insulation

Unique combination flat weave/high density braid silver-plated shielding system

Specially designed non compression aluminium cable clamp

High performance Teflon® outer jacket

Use it with:

Chord Indigo Plus and Sarum interconnects,
Chord Power Chord and Sarum mains cables, Chord Sarum links

"The level of detail and utter neutrality it delivers gives an extraordinary degree of insight into any musical performance."



Chord Sarum links

Precision finished silver-plated multi-strand conductors

Low density Teflon® insulation

High performance combination shielding system

High quality gold-plated terminations

"Levels of detail, dynamics and timbres are incredible and bring real understanding to the technique and intent of musicians."



Chord Signature speaker cable

4mm diameter multi-strand oxygen free copper conductors

Gas foamed low density polyethylene insulation

High frequency effective dual layer shielding system

Non compression aluminium cable clamp

High precision construction to minimise mechanically induced noise

Use it with:

Chord Anthem 2, Signet, Signature Plus, Indigo Plus and Sarum interconnects,
Chord Power Chord and Sarum mains cables, Chord Signature links

Chord Signature links

Oxygen free copper multi strand conductors

High frequency effective dual layer shielding

High quality gold-plated terminations

"The space around notes and the increase in dynamic content that Epic can bring to a system is really surprising. The complex harmonic information that makes up the timbre of stringed and bowed instruments is carried extremely accurately."



Chord Epic Twin speaker cable

Heavy gauge silver-plated oxygen free copper multi-strand conductors

Teflon® insulation

Dual-layer high performance shielding system

Flexible PVC outer jacket provides outstanding mechanical damping

Available in single wire configuration

Use it with:

Chord Cadenza, Chorus 2, Anthem 2, Signet and Signature Plus interconnects,
Chord Power Chord mains cables Chord Signature links

Chord Rumour speaker cable

Silver-plated oxygen free copper conductors
Twisted pair configuration
Teflon® insulation
Silicone outer jacket for outstanding mechanical vibration damping
Available in single wire configuration

Use it with:
Chord CobraPlus, ChameleonPlus, Cadenza and Chorus 2 interconnects
Chord SuperScreen and Power Chord mains cables

"Carries dynamic information extremely well and produces real improvements to the weight, attack and dynamic of notes across the entire frequency range."



Chord Odyssey speaker cable

Heavy gauge silver-plated oxygen free copper conductors
Twisted pair conductor configuration
Teflon® conductor insulation
Silicone outer jacket for outstanding mechanical vibration damping
Available in single wire configuration

Use it with:
Chord ChameleonPlus, Cadenza, Chorus 2, Anthem 2, Signet and Signature Plus interconnects,
Chord SuperScreen and Power Chord mains cables

"Excellent detail definition throughout the frequency range, outstanding dynamics and a natural tonal quality"

Chord Carnival SilverScreen speaker cable

1.8mm multi-strand oxygen free copper conductors
Polyethylene conductor insulation
Twisted pair conductor configuration
Dual foil shielding system
Vibration damping outer jacket
Available in single and bi-wire configurations

Use it with:
Chord CrimsonPlus, CobraPlus and ChameleonPlus interconnects
Chord SuperScreen mains cables

"More detail, improved dynamics, better timing, tonal neutrality across the frequency range, a hugely enjoyable and involving musical experience"

Chord Carnival Classic speaker cable

Oxygen free copper multi-strand conductors
Low density polyethylene insulation
Twisted pair configuration
Vibration damping PVC outer jacket

Use it with:
Chord CrimsonPlus and CobraPlus interconnects
Chord SuperScreen mains cables

"Helps a system to produce a more dynamic, coherent and involving performance"




Chord install speaker cable

Chord
Odyssey
Install

Chord
Rumour
Install

Chord
Leyline
LS0H





"The screen is a magic medium. It has such power that it can retain interest as it conveys emotions and moods that no other art form can hope to tackle."

Stanley Kubrick

Chord HDMI & home cinema cables



Any new 3D or high definition LCD, Plasma television or projector will be equipped with HDMI sockets allowing films to be experienced in high definition or high definition 3D. Like every other cable in your system, the HDMI connector you choose will have an effect on the quality of picture you watch and the sound that you listen to. We have put 25 years' experience of high performance cable design into producing a range of high performance, high speed HDMI cables. Chord HDMI cables are certified high speed and fitted with dedicated Ethernet and audio return conductors, making them perfect for use with the latest generation of 1.4 HDMI equipped surround processors and televisions.

Whether a movie buff, games player or avid sporting fan, Chord HDMI cables will put you right in the middle of the action.

To experience the full impact of a film, game or sporting event, the sound must also be reproduced accurately. Try watching a favourite film or playing the latest game with the sound turned down! Home cinema systems need quality interconnects and speaker cables to produce their full performance as much as stereo systems do. High quality digital and analogue cables can really help to bring films to life and make gaming an engrossing and exhilarating experience.

Home cinema systems often require longer than standard cables. The Chord Active HDMI with Ethernet and audio return is available in lengths of up to 15 metres and interconnects and speaker cables can be custom made to the length you require.

Mains cables can also affect both the picture and sound quality of a home cinema system. Both the Chord SuperScreen and the Chord Power Chord are capable of bringing big improvements to both picture and sound quality and will help your system to perform at its best.

THE
CHORDTM
COMPANY



HIGH SPEED
with **ETHERNET**



Chord HDMI Active Resolution High speed HDMI cable with Ethernet

Silver-plated oxygen free copper signal conductors
Low loss gas foamed insulation, high frequency effective signal path shielding
High quality gold-plated die-cast connectors
Active signal enhancing network improves sound and picture quality
Supports Ethernet and audio return (HEAC)
1080p 3D and higher resolution formats to 4kx2k, supports all HDMI audio formats
High speed / Ethernet performance to 20 metres



Chord HDMI Advance High speed HDMI cable with Ethernet

High speed 1080p 3D compliant HDMI cable
Supports deep colour
Ethernet/audio return
Supports all HDMI audio formats
Die-cast gold-plated plug
Silver-plated oxygen free copper signal conductors
Low loss, gas foamed polyethylene insulation
High frequency effective signal shielding

Available in 0.75m, 1.5m, 2m and 3m lengths



“Video games are bad for you? That’s what they said about rock and roll.”

Shigeru Miyamoto

Custom AV cables

Scart, Component & S-Video

Despite the enormous success of digital video and the HDMI cable, there are still many high quality projectors and flat screen televisions that require conventional analogue video cables. We can supply high quality Scart, component and S-Video cables, all designed to produce the best possible picture transfer. Like all Chord cables, our analogue video connections are built using high quality materials throughout with special attention being paid to the shielding of the cables. No matter what length of cable you require, Chord analogue video connections are guaranteed to produce the best picture quality.

Contact: sales@chord.co.uk for prices and availability



Digital interconnects need to be taken seriously

Like their analogue counterparts, they can have a profound effect on the tonal, rhythmic and dynamic properties of a system

People struggle with digital cables - the common belief being that since the cable is only carrying a digital signal, the design and quality of the materials can't have any influence.

Repeated listening tests show that this is not the case. Digital cables can and do have an effect on the sound quality of the system they are used with. Digital cables are capable of affecting levels of detail, dynamics, sound staging and the rhythmic and tonal characteristics of a system.

The performance improvement that well designed digital interconnects can bring to a system should not be dismissed lightly.



Chord Indigo Plus Digital

Treated high purity oxygen free copper solid core conductors
Gas foamed polyethylene insulation
Composite multi-layer high frequency effective shielding system
Shielded signal and dual return path
Vibration damping acrylic plug surround
Silver-plated contacts

"Digital cables are capable of affecting levels of detail, dynamics, sound staging and the tonal characteristics of a system. The improvements the Indigo Plus Digital can bring to a system should not be dismissed lightly."



Chord Signature Digital

Ultra cast oxygen free copper conductors
High frequency effective composite shielding system
Gold-plated low mass RCA plugs
Gas foamed polyethylene insulation


"The unusual (for a digital cable) configuration brings great levels of detail and a very natural and open sound."



Chord Signature AES EBU

Treated solid core oxygen free copper signal conductors
Composite high frequency effective shielding system
Low density gas foamed polyethylene insulation
Silver-plated XLR connectors

"A class leading AES/EBU connector with the same outstanding performance characteristics as the Chord Indigo Digital "



Chord Prodac Pro Digital

Solid core ultra cast oxygen free copper signal conductor
Unique multi-material shielding system for extremely effective high frequency noise rejection
Fitted with new Chord VEE Plugs
Gas foamed polyethylene insulation

"Brings a natural feel to voices, film tracks and music without sacrificing detail "



Chord Codac Silver Plus

75 Ohm Impedance coaxial cable
Solid core silver-plated oxygen free copper conductor
Silver-plated oxygen free copper braid and foil shield system
Fitted with new Chord VEE Plugs
High performance gas foamed insulation

"Produces a detailed and informative sound. Good performance over longer runs"




Chord Optichord optical connector

50 MHz bandwidth
Metal bodied plug engineered for positive connection
Domed and polished cable end
Available in 1, 3, 5 and 7 metre lengths
Available fitted with minijack optical connector

"Wide bandwidth low loss optical cable available in lengths of up to seven metres"



A photograph of a light-colored acoustic guitar leaning against a dark wooden utility pole. The guitar is positioned in the lower-left foreground. Behind the guitar is a tall, weathered wooden utility pole with various metal fittings and cables. To the right of the pole is a large, light-colored brick wall. The ground in the foreground is a paved surface with some cracks.

Mains cables are as critical to a system's performance as interconnects and speaker cable

Chord Sarum mains cable

Silver-plated precision finished conductors
Foamed Teflon® insulation
Gold-plated Furutech® mains and IEC plug
High performance heavy gauge foil/braid shielding
Available with 16 amp gold-plated Furutech® IEC

"A unique cable design that can bring astonishing transparency and incredible levels of dynamic detail, music sounds extraordinarily life-like"



Chord Power Chord mains cable

High purity copper conductors
High frequency effective foil braid dual layer shielding system
High density vibration damping outer jacket
Available with 10 and 16 amp IEC plugs and euro mains plug

"Better dynamics and definition, enhanced detail and great musical coherence."



Chord SuperScreen mains cable

Dual foil high frequency effective shielding
Vibration damping external casing
High purity multi-strand copper conductors
Performance optimised internal wiring geometry
Available in 1 metre lengths

"Hi-fi and home cinema equipment will benefit from the SuperScreen mains cable, it's an easy way of improving picture quality as well."



Terminology & install tips

Conductors are simply any electrically conductive material that will carry an electrical audio signal. They can be made from various metals.

Oxygen free copper is the most commonly used conductor in quality interconnects and speaker cables. Oxygen free copper is produced in a way that virtually eliminates the oxygen content. As there are fewer impurities in the conductor, the performance is far better than standard copper.

Silver-plated oxygen free copper is an excellent choice of conductor for both interconnects and speaker cable. Used well and carefully matched with the correct insulation, silver-plated cables can allow you to enjoy higher levels of detail and an extremely neutral tone.

Conductors can either be **stranded or solid core**. A stranded cable will have a number of fairly thin conductors grouped together. A solid core cable has one single conductor.

Our research shows there are no definite advantages or drawbacks to either solid or stranded conductors when used for analogue

interconnects. However, digital and video interconnects will work at their best when produced with solid core conductors.

Co-axial is the most commonly used cable geometry for hi-fi interconnects. Co-axial cable has a central conductor that carries the signal. Surrounding this is the insulator and shield. The shield protects the signal and also completes the circuit.

A **pseudo-balanced cable** has two identical sets of insulated conductors, one to carry the signal and the other to complete the circuit. There are real improvements to sound quality to be gained from cables employing pseudo-balanced configuration and the majority of Chord analogue RCA (phono) interconnects are built this way. The other advantage of a pseudo-balanced cable is that the shield used along the length of the cable does not form part of the circuit and this can improve sound quality still further.

Insulation is used to separate conductors from each other and the conductors from the shield. Often referred to as the **dielectric**, each type of insulator has different electrical properties, the critical one being called the **dielectric constant**; the lower this is, the better. The best choice of insulation is Teflon® (PTFE). This has a low dielectric value and is also very strong and resistant to air and moisture. After Teflon® comes polyethylene and finally PVC. The performance of polyethylene and Teflon® can be improved by injecting air or gas into them during production. This is referred to as **gas or air foaming**.

The type of dielectric used in a cable design not only affects the sound because of its dielectric measurement but also each type of material has a tonal effect. To get the best results from each type of conductor it is important to carefully match it to the right insulator.

Effective **shielding** is really important and one of the most critical areas of cable design. There is so much electrical equipment in most houses today that interference has become a real problem. A shield does what it says and protects the signal from external interference. Types range from a simple foil wrap, through lapped (wound) and

braided (woven) shields up to the complex combinations found on the Anthem, Signature, Indigo and Sarum.

Most cables are **directional**, they sound better when connected in one direction than the other. As yet, we have found no way to establish the direction by measurement. During development of an interconnect or speaker cable, we establish direction through blind listening tests carried out by ourselves, retailers and hi-fi manufacturers. The results are remarkably consistent.

New cables used to connect hi-fi or home cinema components need some time to **burn-in** and sound at their best. The reasons for this are the subject of much debate but it is very easy to hear the difference between a new cable and one that has been connected for a month or so. A new cable tends to sound slightly bright and can bring an almost mechanical quality to the bass. As a cable burns in, the tonal qualities become more natural and music becomes more coherent and enjoyable.

RCA/phono sockets are fitted to most hi-fi components and make connecting systems together very simple. Chord RCA plugs are designed for their sound quality and reliability. Metal is kept to a minimum and the Chord VEE plug has an ABS enclosure whilst a specially machined acrylic surround is used on other cables in the Chord range. All Chord plugs feature a non-compression clamping system to minimise any negative effect to sound quality caused by changes to the impedance of the cable

We can also supply interconnects fitted with **Din Plugs**, **XLR connectors**, **stereo jacks** and almost any other connector you may need - just ask: sales@chord.co.uk

Direction

All Chord cables will perform at their best when connected in a particular direction. To get the best performance the cable should be connected so that the text reads in the direction of the signal. For example when connecting a CD player to an amplifier the text should read from the CD player toward the amplifier.

New Cables

The performance characteristics of new cables will change during the first one hundred hours or so use. After this period it may be worth experimenting with the positioning of your speakers in order to get the very best performance.

Cleaning

The connections on hi-fi and home cinema systems can become contaminated and this can cause a gradual loss of performance. It is a good idea to periodically power the system down and clean all the connecting areas with a good contact cleaner. This applies to all the contacts throughout the system. Talk to your specialist retailer, he will be able to recommend a good proprietary cleaning product.

Choosing the right cable

Many Chord retailers carry a range of Chord cables for demonstration, they will be happy to offer advice and willing to let you take cables home so that you can try them in your own system. A full list of retailers is available at www.chord.co.uk or alternatively call us on +44 (0)1980 625700 for details of your nearest retailer.

Synergy

We are confident that Chord interconnects and speaker cables will perform well when used with other manufacturers' cables. There is though a real synergy and coherence in the design principles we apply to all our cables. The use of Chord interconnects, speaker cables and power cables throughout a system ensures a genuinely coherent, involving and revealing musical performance.



Product Technical Specifications

Performance characteristic comparisons
established via Chord Company listening tests

Given the constantly evolving nature of our
product range, The Chord Company Ltd reserves
the right to amend any performance data and
product specifications at any time. For more
information, please email: sales@chord.co.uk



THE
CHORDTM
COMPANY

Chord CrimsonPlus

KÁBEL: Pseudo-symetrické 28 AWG spletané OFC medené vodiče. Zhodný signálový (+) a spätný (-) vodič zlepšuje kvalitu zvuku.

KONFIGURÁCIA: Signálový a spätný vodič v skrútej dvojlinke. IZOLÁCIA: Polyetylén s nízkou hustotou.

TIENENIE: Dvojvrstvové; OFC tenenie prekryté tieniacou fóliou.


OPLET: Vodiče prekryté mäkkým PVC pre redukciu vybrácií, ochranná vonkajšia vrstva. FARBA: Crimson - červená

ZAKONČENIA: Nové Chord VEE Plug koncovky. Výkonné RCA (phono) koncovky s ABS vonkajšou vrstvou pre elimináciu vibrácií. Teflon® pre izoláciu pozláteného stredného pinu. Beztlakový systém uchytienia redukuje potenciálne straty signálu.

Dostupné aj s Din koncovkami, stereo minijackmi a XLR koncovkami. Možné aj zakončenia na mieru.



Chord CrimsonPlus performance characteristics



Chord iChord

KÁBEL: 2 x 28 AWG spletané OFC medené vodiče.

KONFIGURÁCIA: Dvojité koaxiálne vodiče vedú ľavý a pravý signál v jednom káble. IZOLÁCIA: Polyetylén.


TIENENIE: OFC tenenie s vyššou hustotou.

OPLET: Vodiče prekryté mäkkým PVC pre redukciu vybrácií, ochranná vonkajšia vrstva. FARBA: Biela

ZAKONČENIA: Nové Chord VEE Plug koncovky. Výkonné RCA (phono) koncovky s ABS vonkajšou vrstvou pre elimináciu vibrácií. Teflon® pre izoláciu pozláteného stredného pinu. Beztlakový systém uchytienia redukuje potenciálne straty signálu. Dostupné aj s Din koncovkami, pozlátenými stereo minijackmi.



Chord iChord performance characteristics



Chord CobraPlus

KÁBEL: Pseudo-symetrické 22 AWG spletané OFC medené vodiče. Zhodný signálový aj spätný vodič zvyšuje kvalitu zvuku.


KONFIGURÁCIA: Signálový a spätný vodič v skrútej dvojlinke.

IZOLÁCIA: Polyetylén s nízkou hustotou s antivibráčnym bavlneným vytímením.

TIENENIE: Dvojvrstvové; opletenie OFC s vysokou hustotou prekryté tieniacou fóliou.

OPLET: Vodiče prekryté mäkkým PVC pre redukciu vybrácií, ochranná vonkajšia vrstva. FARBA: Zelená

ZAKONČENIA: Nové Chord VEE Plug koncovky. Výkonné RCA (phono) koncovky s ABS vonkajšou vrstvou pre elimináciu vibrácií. Teflon® pre izoláciu pozláteného stredného pinu. Beztlakový systém uchytienia redukuje potenciálne straty signálu. Dostupné aj s Din koncovkami a XLR koncovkami. Možné aj zakončenia na mieru.



Chord CobraPlus performance characteristics

Chord ChameleonPlus

KÁBEL: 4 x 26 AWG spletané postriebrené OFC medené vodiče.


KONFIGURÁCIA: Jeden signálový a dva spätné vodiče. Vylepšené basy a viac detailov, hudba znie prirodzene a koherentne.

IZOLÁCIA: Teflon®. Veríme, že pre najneurálnejší výsledok z použitia postriebrených vodičov je nutné použiť ako dielektrikum a izoláciu Teflon®. Vodiče sú naviac obalené v bavlnenom vlákne pre zvýšenie odolnosti voči mechanickým vybráciám.


TIENENIE: Dvojvrstvové; OFC tenenie prekryté tieniacou fóliou.

OPLET: Vodiče prekryté mäkkým PVC pre redukciu vybrácií, ochranná vonkajšia vrstva. FARBA: Modrá

ZAKONČENIA: Nové Chord VEE Plug koncovky. Výkonné RCA (phono) koncovky s ABS vonkajšou vrstvou pre elimináciu vibrácií. Teflon® pre izoláciu postriebreného stredného pinu. Beztlakový systém uchytienia redukuje potenciálne straty signálu. Postriebrené kontakty vytvárajú homogénnu cestu signálu. Dostupné aj s XLR koncovkami. Možné aj zakončenia na mieru.



Chord ChameleonPlus performance characteristics



Chord Cadenza

KÁBEL: Pseudo-symetrické 18 AWG spletané postriebrené OFC medené vodiče. Zhodný signálový aj spätný vodič zvyšuje kvalitu zvuku.

KONFIGURÁCIA: Signálový a spätný vodič v skrútej dvojlinke.

IZOLÁCIA: Teflon®. Veríme, že pre najneurálnejší výsledok z použitia postriebrených vodičov je nutné použiť ako dielektrikum a izoláciu Teflon®. Izolované vodiče sú spevnené extrudovaným PVC obalom na ochranu pred nežiadúcim mechanickým hlukom.

TIENENIE: Dvojvrstvové; s vysokou hustotou, 100% pokrytie, spletané OFC medené tenenie prekryté tieniacou fóliou.

OPLET: Vodiče i tenenie obalené PVC obalom z nízkou hustotou pre minimalizáciu mechanického hluku. Pletený vonkajší obal.

FARBA: Modrá

ZAKONČENIA: Nové Chord VEE Plug koncovky. Výkonné RCA (phono) koncovky s ABS vonkajšou vrstvou pre elimináciu vibrácií. Teflon® pre izoláciu postriebreného stredného pinu. Non compression clamping system reduces potential signal corruption. Beztlakový systém uchytienia redukuje potenciálne straty signálu. Postriebrené kontakty vytvárajú homogénnu cestu signálu. Dostupné aj s Din koncovkami a XLR koncovkami. Možné aj zakončenia na mieru.



Chord Cadenza performance characteristics



Chord Chorus 2

KÁBEL: Pevný postriebrený OFC tienienny signálový vodič a externý spätný vodič.

KONFIGURÁCIA: Vnútorný tienienny signálový vodič s externým spätným vodičom.

IZOLÁCIA: Teflon®. Chord verí, že pre najneutrálnejší výsledok z použitia postriebrených vodičov je nutné použiť ako dielektrikum a izoláciu Teflon®. Chorus 2 vytvorený precízne pre minimalizáciu nežiaduceho mechanického hluku.

TIENENIE: Dvojté tienenie signálového vodiča efektívne aj pre vysoké frekvencie. Pevné vinuté tienenie obalené postriebreným opletom so 100% pokrytím.

OPLÉT: Teflon® na povrchu tienenia a externý pletený obal. FARBA: Červená a Čierna

ZAKONČENIA: Nové Chord VEE Plug koncovky. Výkonné RCA (phono) koncovky s ABS vonkajšou vrstvou pre elimináciu vibrácií. Teflon® pre izoláciu postriebreného stredného pinu. Beztlakový systém uchytia redukuje potenciálne straty signálu. Postriebrené kontakty vytvárajú homogénnu cestu signálu. Dostupné aj s XLR koncovkami. Možné aj zakončenia na mieru.

Chord Chorus 2 performance characteristics



Chord Anthem 2

KÁBEL: Spletaný postriebrený OFC tienienny koaxiálny signálový vodič. Špirálový externý spätný vodič viditeľný pod opletom.

KONFIGURÁCIA: Vnútorný tienienny signálový vodič s špirálovým externým spätným vodičom.


IZOLÁCIA: Penový Teflon® s nízkou hustotou. Veríme, že pre najneutrálnejší výsledok z použitia postriebrených vodičov je nutné použiť ako izoláciu Teflon®.

TIENENIE: Dvojté tienenie signálového vodiča efektívne aj pre vysoké frekvencie. Pevné vinuté tienenie obalené postriebreným opletom so 100% pokrytím.

OPLÉT: Teflon® na povrchu tienenia a vonkajší pletený obal. FARBA: Biela.

ZAKONČENIA: Chord ultra low mass RCA (phono) koncovky. Teflonom® izolovaný postriebrený stredný pin, odľahčený spätný kontakt. Dizajn koncovky znemožňuje akýkoľvek priamy tlak na kábel, eliminujúc možnosť zmeny jeho impedancie. Dostupné aj s DIN a XLR koncovkami. Možné aj zakončenia na mieru.

Chord Anthem 2 performance characteristics



Chord Signet

KÁBEL: Pevné pseudo-symetrické postriebrené OFC vodiče. Zhodný signálový aj spätný vodič zlepšuje vedenie signálu.

KONFIGURÁCIA: Samostatne tienienny signálový aj spätný vodič.


IZOLÁCIA: Penový Teflon® s nízkou hustotou. Veríme, že pre najneutrálnejší výsledok z použitia postriebrených vodičov je nutné použiť ako izoláciu Teflon®. Izolácia je aplikovaná s presnou toleranciou pre minimalizáciu nežiaduceho mechanického hluku.

TIENENIE: Samostatné dvojté tienenie signálového aj spätného vodiča efektívne aj pre vysoké frekvencie. Pevné vinuté tienenie obalené postriebreným opletom so 100% pokrytím.

OPLÉT: Teflon® na povrchu tienenia a vonkajší pletený obal. FARBA: Čierna.

ZAKONČENIA: Chord ultra low mass RCA (phono) koncovky. Teflonom® izolovaný postriebrený stredný pin, odľahčený spätný kontakt. Dizajn koncovky znemožňuje akýkoľvek priamy tlak na kábel, eliminujúc možnosť zmeny jeho impedancie.

Chord Signet performance characteristics



Chord Signature Plus

KÁBEL: Pseudo-symetrický viacnásobný pevný postriebrený signálový aj spätný vodič, plus sekundárny postriebrený spätný vodič.


KONFIGURÁCIA: Samostatne tienienny signálový aj spätný vodič. Jeden signálový a dva spätné vodiče. Vylepšené basy a viac detailov, hudba znie prirodzene a koherentne.

IZOLÁCIA: Penový Teflon® s nízkou hustotou. Veríme, že pre najneutrálnejší výsledok z použitia postriebrených vodičov je nutné použiť ako izoláciu Teflon®. Izolácia je aplikovaná s presnou toleranciou pre minimalizáciu nežiaduceho mechanického hluku.

TIENENIE: Samostatné dvojté tienenie signálového aj spätného vodiča efektívne aj pre vysoké frekvencie. Pevné vinuté tienenie obalené postriebreným opletom so 100% pokrytím.

OPLÉT: Teflon® na povrchu tienenia a vonkajší pletený obal. FARBA: Čierna.

Chord Signature Plus performance characteristics



ZAKONČENIA: Chord ultra low mass RCA (phono) koncovky. Teflonom® izolovaný postriebrený stredný pin, odľahčený spätný kontakt. Dizajn koncovky znemožňuje akýkoľvek priamy tlak na kábel, eliminujúc možnosť zmeny jeho impedancie. Presné akrylové chrániče pre potlačenie rezonancií.



Chord Indigo Plus

KÁBEL: Pseudo-symetrický spletaný postriebrený signálový aj spätný vodič, plus sekundárny postriebrený spätný vodič.


KONFIGURÁCIA: Samostatne tienienny signálový aj spätný vodič. Jeden signálový a dva spätné vodiče. Vylepšené basy a viac detailov, hudba znie prirodzene a koherentne.

IZOLÁCIA: Penový Teflon® s nízkou hustotou. Veríme, že pre najneutrálnejší výsledok z použitia postriebrených vodičov je nutné použiť ako izoláciu Teflon®. Izolácia je aplikovaná s presnou toleranciou pre minimalizáciu nežiaduceho mechanického hluku.

TIENENIE: Samostatné dvojté tienenie signálového aj spätného vodiča efektívne aj pre vysoké frekvencie. Pevné vinuté tienenie obalené postriebreným opletom so 100% pokrytím.

OPLÉT: Teflon® na povrchu tienenia a vonkajší pletený obal. FARBA: Purpurová.

Chord Indigo Plus performance characteristics



ZAKONČENIA: Chord ultra low mass RCA (phono) koncovky. Teflonom® izolovaný postriebrený stredný pin, odľahčený spätný kontakt. Dizajn koncovky znemožňuje akýkoľvek priamy tlak na kábel, eliminujúc možnosť zmeny jeho impedancie. Presné akrylové chrániče pre potlačenie rezonancií.



Chord Codac Silver Plus


KÁBEL: Pevný postriebrený OFC medený signálový vodič.

KONFIGURÁCIA: 75 Ohm koaxiálny, stredný signálový vodič s okolitým tienením. Tienenie je zároveň spätný vodič.

IZOLÁCIA: Penový polyetylén s nízkou dielektrickou hodnotou. TIENENIE: Dvojité, tieniacia fólia a opletenie. OBAL: PVC. FARBA: Čierna.

ZAKONČENIA: Nové Chord VEE Plug koncovky. Výkonné RCA (phono) koncovky s ABS vonkajšou vrstvou pre elimináciu vibrácií. Teflon® pre izoláciu postriebreného stredného pinu. Beztlakový systém uchytenia redukuje potenciálne straty signálu. Postriebrené kontakty vytvárajú homogénnu cestu signálu. Dostupné aj s vysoko kvalitnými postriebrenými BNC koncovkami.

Chord Codac Silver Plus performance characteristics



Chord Prodac Pro Digital

KÁBEL: Pevný postriebrený ultra-cast OFC medený signálový vodič.

KONFIGURÁCIA: 75 Ohm koaxiál, stredný signálový vodič s okolitým tienením. Tienenie je zároveň spätný vodič.


IZOLÁCIA: Penový polyetylén s nízkou dielektrickou hodnotou.

TIENENIE: Dvojité, tieniacia fólia a opletenie s vysokou hustotou plus špeciálne vyvinuté kompozitné tienenie efektívne vo vysokých frekvenciach.

OPLET: Vodiče prekryté mäkkým PVC pre redukciu vibrácií, ochranná vonkajšia vrstva. FARBA: Čierna.

ZAKONČENIA: Nové Chord VEE Plug koncovky. Výkonné RCA (phono) koncovky s ABS vonkajšou vrstvou pre elimináciu vibrácií. Teflon® pre izoláciu pozláteného stredného pinu. Beztlakový systém uchytenia redukuje potenciálne straty signálu. Dostupné aj s vysoko kvalitnými postriebrenými BNC koncovkami.

Chord Prodac Pro Digital performance characteristics



Chord Signature Digital

KÁBEL: Pevný pseudo-symetrický ultra-cast OFC signálový aj spätný vodič.

KONFIGURÁCIA: 75 Ohm dvojity koaxiál, samostatne tieniený signálový aj spätný vodič.


IZOLÁCIA: Penový polyetylén s nízkou dielektrickou hodnotou.

TIENENIE: Dvojité, tieniacia fólia a opletenie s vysokou hustotou plus špeciálne vyvinuté kompozitné tienenie efektívne vo vysokých frekvenciach.

OPLET: Vodiče prekryté mäkkým PVC pre redukciu vibrácií, ochranná vonkajšia vrstva. Vonkajšie opletenie. FARBA: Červená.

ZAKONČENIA: Chord ultra low mass RCA (phono) koncovky. Teflonom® izolovaný pozlátený stredný pin, odľahčený spätný kontakt. Dizajn koncovky znemožňuje akýkoľvek priamy tlak na kábel, eliminujúc možnosť zmeny jeho impedancie. Dostupné aj s vysoko kvalitnými postriebrenými BNC koncovkami.

Chord Signature Digital performance characteristics



Chord Indigo Plus Digital

KÁBEL: Pevný pseudo-symetrický ultra-cast OFC signálový a dvojitý spätný vodič.

KONFIGURÁCIA: 75 Ohm tri-koaxiál, samostatne tieniený signálový a dvojitý spätný vodič.


IZOLÁCIA: Penový polyetylén s nízkou dielektrickou hodnotou.

TIENENIE: Dvojité, tieniacia fólia a opletenie s vysokou hustotou plus špeciálne vyvinuté kompozitné tienenie efektívne vo vysokých frekvenciach.

OPLET: Vodiče prekryté mäkkým PVC pre redukciu vibrácií, ochranná vonkajšia vrstva. Vonkajšie opletenie. FARBA: Purpurová.

ZAKONČENIA: Chord ultra low mass RCA (phono) koncovky. Teflonom® izolovaný postriebrený stredný pin, odľahčený spätný kontakt. Dizajn koncovky znemožňuje akýkoľvek priamy tlak na kábel, eliminujúc možnosť zmeny jeho impedancie. Presné akrylové chrániče pre potlačenie rezonancii. Dostupné aj s vysoko kvalitnými postriebrenými BNC koncovkami.

Chord Indigo Plus Digital performance characteristics



Chord Signature AES EBU

KÁBEL: Pevné pseudo-symetrické ultra-cast OFC vodiče.

KONFIGURÁCIA: 75 Ohm tri-koaxiál, samostatne tieniený signálový aj spätný vodič.

IZOLÁCIA: Penový polyetylén s nízkou dielektrickou hodnotou.

TIENENIE: Dvojité, tieniacia fólia a opletenie s vysokou hustotou plus špeciálne vyvinuté kompozitné tienenie efektívne vo vysokých frekvenciach.

OPLET: Vodiče prekryté mäkkým PVC pre redukciu vibrácií, ochranná vonkajšia vrstva. Vonkajšie opletenie. FARBA: Červená. ZAKONČENIA: Postriebrené 3 pin Neutrik XLR koncovky.

Chord Signature AES EBU performance characteristics



Chord Optichord

KÁBEL: Polymérový signálový vodič. KONFIGURÁCIA: Optický kábel OCHRANA: Mäkké PVC okolo signálovej polymérovej trubice.


OPLET: Pevné opletenie zabraňuje poškodeniu polymérového signálového vodiča FARBA: Tmavo zelená.

ZAKONČENIA: Koncovky s kovovým telom pre pevné uchytenie, zaguľatené a vyleštené konce vodičov pre maximálnu šírku prenášaného pásma.

Dostupné aj s 3,5mm Minijack konektorom pre pripojenie napríklad k notebookom.

DĺžKY: Chord Optichord Toslink-Toslink kábel je dostupný v 1, 3, 5, 7 a 10m dĺžkach. Chord Optichord minijack-Toslink kábel je v 1, 3, 5 a 10m dĺžke.

Chord Optichord performance characteristics



Chord Leyline reprekabel



KÁBEL: 2 x 16 AWG pocínované, spletané OFC medené vodiče.

KONFIGURÁCIA: Skrútená dvojlinka. IZOLÁCIA: Polyetylén (bez halogénu). Červený pre plus, biely pre mínus.

OPLET: Polyetylén (bez halogénu). DIAMETER: 6 mm. FARBA: Biela.

POUŽITIE: Kvalitný inštalačný kábel. Dobre funguje s lifestyle domácimi kinami aj s audio systémami. Pocínované vodiče dobre vedia aj na dlhšie vzdialosti.

Chord Leyline performance characteristics





Chord Carnival Classic reprekabel

KÁBEL: 2 x 15 AWG spletané OFC vodiče. KONFIGURÁCIA: Skrútená dvojlinka.

IZOLÁCIA: Polyetylén (bez halogénu). Červený pre plus, biely pre mínus.

OPLET: PVC. DIAMETER: 8.5mm. FARBA: Biela. POUŽITIE: High-end inštalačný kábel. HiFi a domáce kino.

Chord Carnival Classic performance characteristics



Chord Carnival SilverScreen reprekabel



KÁBEL: 2 x 15 AWG spletané OFC vodiče. KONFIGURÁCIA: Skrútená dvojlinka.

IZOLÁCIA: Polyetylén (bez halogénu). Červený pre plus, biely pre mínus. Vodiče obalené v PVC pre minimalizáciu mechanického hluku.

TIENENIE: Dvojvrstvové tielenie fóliou. OPLET: PVC. DIAMETER: 10mm. FARBA: Bledo modrá priesvitná.

POUŽITIE: Ocenenie za najlepší repro kábel WHAT HIFI 2008, 2009, 2010, 2011. Tielenie dramaticky vylepšuje zvuk.

Chord Carnival SilverScreen performance characteristics



Chord Carnival SilverScreen bi-wire reprekabel



KÁBEL: 4 x 15 AWG spletané OFC vodiče. KONFIGURÁCIA: 2 x skrútená dvojlinka.

IZOLÁCIA: Polyetylén (bez halogénu). Červený pre H-F Plus, čierny pre H-F Mínus. Zelený pre L-F Plus, Fialový pre L-F Mínus. Vodiče obalené v PVC pre minimalizáciu mechanického hluku.

TIENENIE: Dvojvrstvové tielenie fóliou. OPLET: PVC. DIAMETER: 13mm. FARBA: Bledo modrá priesvitná.

POUŽITIE: Bi-Wire verzia oceňovaného kábla Carnival SilverScreen. Ocenenie za najlepší repro kábel WHAT HIFI 2008, 2009, 2010, 2011. Tielenie dramaticky vylepšuje zvuk.

Chord Carnival SilverScreen bi-wire performance characteristics





Chord Rumour 2 reprekabel

KÁBEL: 2 x 16 AWG spletané postriebrené OFC vodiče. KONFIGURÁCIA: Skrútená dvojlinka.

IZOLÁCIA: Teflon®. Veríme, že pre najneutrálnejší výsledok z použitia postriebrených vodičov je nutné použiť ako dielektrikum a izoláciu Teflon®. Bielo-červený pre Plus; Bielo-čierny pre Mínus. Vodiče sú zaliate v silikóne pre minimalizáciu mechanického hluku. OPLET: Silikón. DIAMETER: 6mm. FARBA: Biela.

POUŽITIE: Veľmi čisto a neutrálne znejúci kábel pomáha produkováť hlboké a vyvážené basy. Rumour svojou vysokou vodivosťou vyhovuje aj drahším komponentom. Jeho minimálne rozmery ho predurčujú pre high performance HiFi systémy kde musí byť reprokábel ukrytý. Dostupný aj inštalačnej verzii bez vonkajšieho obalu.

Chord Rumour 2 performance characteristics



Chord Odyssey 2 reprokabel

KÁBEL: 2 x 12 AWG spletané postriebrené OFC vodiče. KONFIGURÁCIA: Skrútená dvojlinka.

IZOLÁCIA: Teflon®. Veríme, že pre najneutrálnejší výsledok z použitia postriebrených vodičov je nutné použiť ako dielektrikum a izoláciu Teflon®. Bielo-červený pre Plus; Bielo-čierny pre Mínus. Vodiče sú zaliate v silikóne pre minimalizáciu mechanického hluku.

OBAL: Silikón. DIAMETER: 8 mm. FARBA: Biela.

POUŽITIE: Odyssey prináša vylepšenie dynamiky systému. Basy získajú hĺbkú a mohutnosť. Cymbal znie relisticky a gitara pritomne a autoritatívne, podobne piáno a hlas. Odyssey získal ocenenie Hi-fi news pre Najlepší reprokábel 5 za sebou, od 2001 do 2005.




Chord Epic Twin reprokabel

KÁBEL: 2 x 12 AWG spletané postriebrené OFC vodiče. KONFIGURÁCIA: Skrútená dvojlinka.

IZOLÁCIA: Teflon®. Veríme, že pre najneutrálnejší výsledok z použitia postriebrených vodičov je nutné použiť ako dielektrikum a izoláciu Teflon®. Bielo-červený pre Plus; Bielo-čierny pre Mínus. Vodiče sú zaliate v silikóne pre minimalizáciu mechanického hluku.

TIENENIE: Dvojité, opletenie s vysokou hustotou prekryté tieniacou fóliou. **OPLET:** PVC. **DIAMETER:** 11mm. **FARBA:** Hnedá priesvitná.

POUŽITIE: Epic preberá vodiča a ich konfiguráciu zo Odyssey a tienenie zo Signature sérií. Tienenie prináša obrovské zlepšenie nielen vo vysokých frekvenciach ale aj v basoch. Jednotlivé nástroje si okolo seba vytvoria priestor a budete počuť ich skutočný charakter. Husle, čelá a violy znejú realisticejšie, rovnako aj piáno. Epic je veľmi univerzálny a bude pracovať takmer s akýmkolvek systémom.



Chord Signature rerokabel

KÁBEL: 2 x 10 AWG spletané OFC vodiče. KONFIGURÁCIA: Samostatne tienene káble v skrútenej dvojlinke.

IZOLÁCIA: Penový polyetylén. **TIENENIE:** Dvojité, opletenie s vysokou hustotou prekryté tieniacou fóliou.


OPLET: Polyetylén s vysokou hustotou a červeno/čierne opletieň. **DIAMETER:** 2 x 12 mm. **FARBA:** Červeno/čierna alebo čierna.

ZAKONČENIA: Pozlátené banány, pozlátené vydlice alebo BFA Camcon konektory.

Vzhľadom na komplexnosť konštrukcie je Signature reproduktorový kábel dostupný len ako továrensky ukončený.

Dĺžky: páry v dĺžkach 2 metre a 3 metre sú skladom (minimálna dodávaná dĺžka je 1,5 metra).

POUŽITIE: Jeden z najtransparentnejších dostupných reprekálov, Signature je schopný transformovať zvuk akéhokoľvek systému k nemu pripojenému. Dynamika, mikro aj makro sú explicitne odhalené, časovanie a rytmus sú najlepšie v triede a nástroje jasne a prirodzene vykreslené.



Chord Signature repro prepoj


KÁBEL: 16 AWG spletaný OFC vodič. KONFIGURÁCIA: Samostatne tienené repro Bi-Wire prepoje.

IZOLÁCIA: Penový polyetylén. **TIENENIE:** Dvojité, opletenie s vysokou hustotou prekryté tieniacou fóliou.

OPLET: Polyetylén s vysokou hustotou a čierne opletenie. **DIAMETER:** 6mm **FARBA:** Čierna.

ZAKONČENIA: Pozlátené banány a pozlátené vydlice DĽŽKA: 20 cm.

POUŽITIE: Chord Signature repro Bi-Wire prepoj nahradza pozlátené pliešky ktoré nájdete na zadnej strane väčšiny bi-wire reproduktorov. Signature prepoje môžu byť pre lepší výsledok použité so všetkými reproduktormi a všetkými single wire repokáblami.



Built with pride in England
Enjoyed all over the world



THE
CHORDTM
COMPANY

Sign-up to the Chord Co newsletter at www.chord.co.uk and get access to exclusive competitions, new products, special offers, events and the inside story on what music, movies, games and gear we are playing with at Chord HQ

www.chord.co.uk

WHAT HI-FI? SOUND AND VISION



Chord HDMI Active
January 2011

Chord HDMI SuperShield
October 2010

CrimsonPlus
July 2010

Chord Optichord
July 2009

Chord IndigoPlus
Chord SuperScreen
May 2009

Chord Epic speaker cable
September 2008

Chord Chorus 2
September 2008



Chord Chameleon Silver Plus
August 2008

Chord iChord
April 2008

Chord Signature speaker cable
January 2007

Chord iChord
September 2005

Chord Cobra 3
March 2005

Chord Rumour 4
July 2001



WHAT HI-FI? SOUND AND VISION AWARDS 2011

CABLES & ACCESSORIES

BEST ANALOGUE INTERCONNECT


CHORD COMPANY CRIMSONPLUS

WHAT HI-FI? SOUND AND VISION AWARDS 2011

CABLES & ACCESSORIES

BEST SPEAKER CABLE

CHORD COMPANY
CARNIVAL SILVERSCREEN



WHAT HI-FI? SOUND AND VISION AWARDS 2010

CABLES

BEST ANALOGUE INTERCONNECT

CHORD COMPANY
CRIMSON PLUS

WHAT HI-FI? SOUND AND VISION AWARDS 2010

CABLES

BEST SPEAKER CABLE

CHORD COMPANY
CARNIVAL SILVERSCREEN

WHAT HI-FI? SOUND AND VISION AWARDS 2009

PRODUCT OF THE YEAR

CABLES

CHORD CO HDMI SUPERSHIELD

WHAT HI-FI? SOUND AND VISION AWARDS 2009

CABLES

BEST SPEAKER CABLE

CHORD COMPANY CARNIVAL
SILVERSCREEN

WHAT HI-FI? SOUND AND VISION AWARDS 2009

CABLES

BEST HDMI £50+

CHORD COMPANY HDMI ACTIVE

WHAT HI-FI? SOUND AND VISION AWARDS 2008

PRODUCT OF THE YEAR

CABLES

CHORD CARNIVAL SILVERSCREEN

WHAT HI-FI? SOUND AND VISION AWARDS 2007

CABLES

BEST VIDEO CABLES

CHORD COMPANY
HDMI SILVER PLUS 1.3

WHAT HI-FI? SOUND AND VISION AWARDS 2004

PRODUCT OF THE YEAR

CABLES

CHORD CARNIVAL SILVER

WHAT HI-FI? SOUND AND VISION AWARDS 2004

BEST DIGITAL VIDEO CABLE

Chord Silver Plus HDMI



Chord Odyssey
Award winner
Hi-Fi News 2001-2005



Product of the year
Hi-Fi Plus awards 2002



The Chord Company Ltd, Chord Company
House, Millsway Centre, Amesbury,
Salisbury, Wiltshire SP4 7RX, UK